

[code]

System:

Kernel: 5.15.0-86-generic x86_64 bits: 64 compiler: gcc v: 11.4.0 Desktop: Cinnamon 5.8.4
tk: GTK 3.24.33 wm: muffin dm: LightDM Distro: Linux Mint 21.2 Victoria base: Ubuntu 22.04

jammy

Machine:

Type: Desktop System: FUJITSU product: ESPRIMO P720 v: N/A serial: <superuser required>

Chassis:

type: 6 v: C\$WX01 serial: <superuser required>

Mobo: FUJITSU model: D3221-A1 v: S26361-D3221-A1 serial: <superuser required>

UEFI: FUJITSU // American Megatrends v: 4.6.5.4 R1.10.0 for D3221-A1x date: 09/16/2013

CPU:

Info: dual core model: Intel Pentium G3220 bits: 64 type: MCP arch: Haswell rev: 3 cache:

L1: 128 KiB L2: 512 KiB L3: 3 MiB

Speed (MHz): avg: 2993 min/max: 800/3000 cores: 1: 2993 2: 2993 bogomips: 11972

Flags: ht lm nx pae sse sse2 sse3 sse4_1 sse4_2 ssse3 vmx

Graphics:

Device-1: AMD Cedar [Radeon HD 7350/8350 / R5 220] vendor: PC Partner driver: radeon v:
kernel

pcie: speed: 5 GT/s lanes: 16 ports: active: DVI-I-1,DVI-I-2 empty: none bus-ID: 01:00.0

chip-ID: 1002:68fa

Device-2: Logitech Webcam C270 type: USB driver: snd-usb-audio,uvcdvideo bus-ID: 3-8:7

chip-ID: 046d:0825

Display: x11 server: X.Org v: 1.21.1.4 driver: X: loaded: ati,radeon

unloaded: fbdev,modesetting,vesa gpu: radeon display-ID: :0 screens: 1

Screen-1: 0 s-res: 2560x1024 s-dpi: 96

Monitor-1: DVI-0 mapped: DVI-I-1 pos: primary,left model: S1910 res: 1280x1024 dpi: 86
diag: 482mm (19")

Monitor-2: DVI-1 mapped: DVI-I-2 pos: right model: S1931 res: 1280x1024 dpi: 86
diag: 482mm (19")

OpenGL: renderer: AMD CEDAR (DRM 2.50.0 / 5.15.0-86-generic LLVM 15.0.7)

v: 4.5 Mesa 23.0.4-0ubuntu1~22.04.1 direct render: Yes

Audio:

Device-1: Intel 8 Series/C220 Series High Definition Audio vendor: Fujitsu Solutions

driver: snd_hda_intel v: kernel bus-ID: 00:1b.0 chip-ID: 8086:8c20

Device-2: AMD Cedar HDMI Audio [Radeon HD 5400/6300/7300 Series] vendor: PC Partner

driver: snd_hda_intel v: kernel pcie: speed: 5 GT/s lanes: 16 bus-ID: 01:00.1 chip-ID: 1002:aa68

Device-3: Logitech Webcam C270 type: USB driver: snd-usb-audio,uvcdvideo bus-ID: 3-8:7

chip-ID: 046d:0825

Sound Server-1: ALSA v: k5.15.0-86-generic running: yes

Sound Server-2: PulseAudio v: 15.99.1 running: yes

Sound Server-3: PipeWire v: 0.3.48 running: yes

Network:

Device-1: Intel Ethernet I217-V vendor: Fujitsu Solutions driver: e1000e v: kernel port: f040

bus-ID: 00:19.0 chip-ID: 8086:153b

IF: enp0s25 state: up speed: 1000 Mbps duplex: full mac: <filter>

Device-2: Realtek RTL8188EUS 802.11n Wireless Network Adapter type: USB driver: r8188eu

bus-ID: 3-14:10 chip-ID: 0bda:8179

IF: wlx00ada70070cf state: down mac: <filter>

Bluetooth:

Device-1: Realtek Bluetooth Radio type: USB driver: btusb v: 0.8 bus-ID: 3-4:3

chip-ID: 0bda:8771

Report: hciconfig ID: hci0 rfk-id: 0 state: up address: <filter> bt-v: 3.0 lmp-v: 5.1
sub-v: d922

Drives:

Local Storage: total: 10.01 TiB used: 519.17 GiB (5.1%)

ID-1: /dev/sda vendor: Western Digital model: WD Blue SA510 2.5 1000GB size: 931.51 GiB
speed: 6.0 Gb/s serial: <filter>

ID-2: /dev/sdb type: USB vendor: Western Digital model: WD Elements 25A3 size: 9.1 TiB
serial: <filter>

Partition:

ID-1: / size: 915.32 GiB used: 161.69 GiB (17.7%) fs: ext4 dev: /dev/sda2

ID-2: /boot/efi size: 511 MiB used: 6.1 MiB (1.2%) fs: vfat dev: /dev/sda1

Swap:

ID-1: swap-1 type: file size: 2 GiB used: 0 KiB (0.0%) priority: -2 file: /swapfile

USB:

Hub-1: 1-0:1 info: Full speed or root hub ports: 2 rev: 2.0 speed: 480 Mb/s chip-ID: 1d6b:0002

Hub-2: 1-1:2 info: Intel Integrated Rate Matching Hub ports: 6 rev: 2.0 speed: 480 Mb/s
chip-ID: 8087:8008

Hub-3: 2-0:1 info: Full speed or root hub ports: 2 rev: 2.0 speed: 480 Mb/s chip-ID: 1d6b:0002

Hub-4: 2-1:2 info: Intel Integrated Rate Matching Hub ports: 8 rev: 2.0 speed: 480 Mb/s
chip-ID: 8087:8000

Hub-5: 3-0:1 info: Hi-speed hub with single TT ports: 14 rev: 2.0 speed: 480 Mb/s
chip-ID: 1d6b:0002

Device-1: 3-3:2 info: Western Digital Elements Desktop (WDBWLG) type: Mass Storage
driver: usb-storage rev: 2.1 speed: 480 Mb/s chip-ID: 1058:25a3

Device-2: 3-4:3 info: Realtek Bluetooth Radio type: Bluetooth driver: btusb rev: 1.1
speed: 12 Mb/s chip-ID: 0bda:8771

Hub-6: 3-5:4 info: Super Top Hub [Super Top] ports: 4 rev: 2.0 speed: 480 Mb/s
chip-ID: 14cd:8608

Device-1: 3-5.1:6 info: Cherry GmbH Keyboard type: Keyboard,HID driver: cherry,usbhid rev:

2.0

speed: 1.5 Mb/s chip-ID: 046a:0023

Device-2: 3-5.2:8 info: Logitech G203 Gaming Mouse type: Mouse,HID driver: hid-
generic,usbhid

rev: 2.0 speed: 12 Mb/s chip-ID: 046d:c084

Hub-7: 3-5.4:9 info: Super Top Hub [Super Top] ports: 4 rev: 2.0 speed: 480 Mb/s
chip-ID: 14cd:8608

Device-1: 3-7:5 info: Wacom PTH-651 [Intuos pro (M)] type: HID,Mouse driver: usbhid,wacom
rev: 2.0 speed: 12 Mb/s chip-ID: 056a:0315

Device-2: 3-8:7 info: Logitech Webcam C270 type: Video,Audio driver: snd-usb-audio,uvccvideo
rev: 2.0 speed: 480 Mb/s chip-ID: 046d:0825

Device-3: 3-14:10 info: Realtek RTL8188EUS 802.11n Wireless Network Adapter type: Network
driver: r8188eu rev: 2.0 speed: 480 Mb/s chip-ID: 0bda:8179

Hub-8: 4-0:1 info: Super-speed hub ports: 6 rev: 3.0 speed: 5 Gb/s chip-ID: 1d6b:0003

Sensors:

System Temperatures: cpu: 29.8 C pch: 44.5 C mobo: 27.8 C gpu: radeon temp: 42.5 C

Fan Speeds (RPM): N/A

Repos:

Packages: 2325 apt: 2299 flatpak: 26

No active apt repos in: /etc/apt/sources.list

Active apt repos in: /etc/apt/sources.list.d/official-package-repositories.list

1: deb https://mirror.wtnet.de/linuxmint victoria main upstream import backport

2: deb http://mirror.wtnet.de/ubuntu jammy main restricted universe multiverse

3: deb http://mirror.wtnet.de/ubuntu jammy-updates main restricted universe multiverse
4: deb http://mirror.wtnet.de/ubuntu jammy-backports main restricted universe multiverse
5: deb http://security.ubuntu.com/ubuntu/ jammy-security main restricted universe multiverse
Active apt repos in: /etc/apt/sources.list.d/runescape.list
1: deb https://content.runescape.com/downloads/ubuntu trusty non-free

Info:

Processes: 203 Uptime: 4h 4m Memory: 15.54 GiB used: 1.08 GiB (7.0%) Init: systemd v: 249
runlevel: 5 Compilers: gcc: 11.4.0 alt: 11/12 Client: Unknown python3.10 client inxi: 3.3.13
[/code]